



## **The Center for OSH**

### Electrical Safety NIOSH Alert Summary

Preventing Worker Deaths from Uncontrolled Release of Electrical,  
Mechanical, and Other Types of Hazardous Energy

NIOSH Publication No. 99-110

English summary and poster pdf version on disc, or <http://www.cdc.gov/niosh/99-110.html>

Alerta de NIOSH: Prevención de muertes de trabajadores por  
descargas no controladas de energía eléctrica, mecánica y otros tipos de energía peligrosa  
Publicación de NIOSH No. 99-110

Spanish online only, <http://www.cdc.gov/spanish/niosh/docs/99-110sp.html>

Preventing Electrocutions of Crane Operators and Crew Members Working  
Near Overhead Power Lines

DHHS (NIOSH) Publication No. 95-108

Pdf summary on disc, or <http://www.cdc.gov/niosh/crane.html>

Preventing Injuries and Deaths From Metal- Reinforced Hydraulic Hoses

DHHS (NIOSH) Publication No. 93-105

Pdf poster on disc, or <http://www.cdc.gov/niosh/93-105.html>

Preventing Electrocutions During Work with Scaffolds Near Overhead  
Power Lines

DHHS (NIOSH) Publication No. 91-110

Pdf summary on disc, or <http://www.cdc.gov/niosh/91-110.html>

## Preventing Falls and Electrocutions During Tree Trimming

DHHS (NIOSH) Publication No. 92-106

Pdf poster on disc, or <http://www.cdc.gov/niosh/92-106.html>

Prevención de caídas y electrocuciones durante la poda de árboles

Publicación No. 92-106 de DHHS (NIOSH)

<http://www.cdc.gov/spanish/niosh/docs/92-106sp.html>

## Preventing Electrocutions of Workers Using Portable Metal Ladders Near Overhead Power Lines

DHHS (NIOSH) Publication No. 89-110

Online only, <http://www.cdc.gov/niosh/89-110.html>

Prevención de electrocuciones de los trabajadores que usan escaleras metálicas portátiles cerca de las líneas de alto voltaje

Publicación No. 89-110 de DHHS (NIOSH)

Online, <http://www.cdc.gov/spanish/niosh/docs/89-110sp.html>

## Preventing Fatalities of Workers Who Contact Electrical Energy

DHHS (NIOSH) Publication No. 87-103

Online, <http://www.cdc.gov/niosh/87-103.html>

## Preventing Electrocutions Due to Damaged Receptacles and Connectors

DHHS (NIOSH) Publication No. 87-100

Online, <http://www.cdc.gov/niosh/87-100.html>

## Preventing Electrocutions of Workers in Fast Food Restaurants

DHHS (NIOSH) Publication No. 85-104

Online, <http://www.cdc.gov/niosh/85-104.html>